EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/567698	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 13:48
S2	4508	credit near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 13:49
S3	1	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 13:49
S 4	275	(distanc\$3) with (throughput (quality adj2 service) CoS ((buffer memory) adj length)) and (handoff hand-off handover hand-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 13:54
S5	98	(distanc\$3) with (throughput (quality adj2 service) QoS ((buffer memory) adj length)) and (handoff hand-off handover hand-over) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20
S6	36	(distanc\$3) with (throughput (quality adj2 service) QoS ((buffer memory) adj length)) and (phone mobile cellular pda portable) with ((determin \$3 select\$3) with (base adj station)) and (handoff hand-off handover) and (@ad<*20031003*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20
S7	2492	455/442	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 13:57
S8	6	S5 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 13:57

S9	94	(detect\$3 determin\$4 select\$3 measur\$4) with (throughput through-put) near ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:03
S10	2	S7 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:03
S11	4	(detect\$3 determin\$4 select\$3 measur\$4) with (throughput through-put) near ratio and (handoff hand-off handover hand- over) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:04
S12	9	(phone mobile callular pda portable) same (select\$3 detect\$3 determin\$4 measur\$3) same(distanc \$3) with (throughput (quality adj2 service) QoS ((buffer memory) adj length)) and (handoff hand-off handover hand- over) and @ad<*20031003*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:08
S13	9	(phone mobile cellular pda portable) same (select\$3 detect\$3 determin\$4 measur\$3) same(distanc \$3) with (throughput (quality adj2 service) QoS ((buffer memory) adj length)) and (handoff hand-off handover handover roam\$3) and @ad<*20031003*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:09
S14	6306	distanc\$3 same (throughput through-put (quality adj2 service) QoS ((buffer memory) adj length)) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:37
S15	1966	distanc\$3 same (measur \$3 detect\$3 determin\$4 select\$3) same (throughput through-put (quality adj2 service) QoS ((buffer memory) adj length)) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:38

S16	144010	"455"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:38
S17	124	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:38
S18	56	S15 and S16 and (handoff hand-off handover hand- over roam\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:39
S20	36	(phone mobile cellular pda portable) with (select\$3 determin\$4 measur\$3) with (base adj station) and (distan6\$3) with (throughput (quality adj2 service) QoS ((buffer memory) adj length)) and (handoff hand-off hand-off hand-over) and [@ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/20 14:43
S21	647	select\$3 with active with (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 21:51
S22	6306	distanc\$3 same (throughput through-put (quality adj2 service) QoS ((buffer memory) adj length)) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 21:52
S23	10	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 21:52
S24	73357	(measur\$3 detect\$3 determin\$4 select\$3) same (throughput through-put (quality adj2 service) QoS ((buffer memory) adj length)) and @ad<"20031003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT	OR	ON	2009/02/21 21:54
S25	70	\$21 and \$24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 21:54
S26	62436	(handoff hand-off handover hand-over roam \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 21:57

S27	61	\$25 and \$26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 21:57
S28	96	(base adj station) same (determin\$6 deted\$3) same distanc\$3 same (throughput through-put (quality adj2 service) QoS ((buffer memory) adj length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 22:17
S29	62436	(handoff hand-off handover hand-over roam \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 22:23
S30	96	(base adj station) same (determin\$6 detect\$3) same distanc\$3 same (throughput through-put (quality adj2 service) QoS ((buffer memory) adj length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 22:23
S31	46	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/21 22:23
S32	685	credit near value same (throughput through-put radio minimum maximum (quality adj2 service) QoS ((buffer memory) adj length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 21:56
S33	33	oredit near value same (throughput through-put radio minimum maximum (quality adj2 service) QoS ((buffer memory) adj length)) and (handoff hand-off handover hand- over roam\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 21:57
S34	197	credit near value same (determin\$6 detect\$3 select\$3) same (phone portable mobile pda cellular terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:34
S36	1	oredit near value same (determins6 detect\$3 select\$3) same (phone portable mobile pda cellular terminal) and select\$3 with (base adj station) and ((quality adj2 sevice) QoS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:36

S37	10	credit near value and (determins6 detect\$3 select\$3) same (phone portable mobile pda cellular terminal) and select\$3 with (base adj station) and ((quality adj2 sevice) QoS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:38
S38	1	credit near value same (determins6 detect\$3 select\$3) same (phone portable mobile pda cellular terminal) and select\$3 with (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:40
S40	0	credit near value and (phone portable mobile pda cellular terminal) with buffer near occupanc\$3 and cell near select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:43
S41	3	credit near value and (phone portable mobile pda cellular terminalh (user adj equipment)) same buffer near occupanc \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:44
S42	3	credit near value and (phone portable mobile pda cellular terminalh (user adj equipment)) and buffer near occupanc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:47
S43	2	"20070110000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:48
S44	3	credit near value and (phone portable mobile pda cellular terminalh (user adj equipment)) and (((buffer memory) adj occupanc§3) (throughput adj ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:57
S45	656	(phone portable mobile pda cellular terminalh (user adj equipment)) and (((buffer memory) adj occupanc\$3) (throughput adj ratio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 22:58

S46	28	(phone portable mobile pda cellular terminalh (user adj equipment)) and (((buffer memory) adj occupanc\$3) (throughput adj ratio)) and measur\$5 with ((qaulity adj2 service) QoS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT	OR	ON	2009/02/22 22:59
S47	36	(phone portable mobile pda cellular terminal (user adj equipment)) and (((buffer memory) adj occupanc\$3) (throughput adj ratio)) and measur\$5 with ((quality adj2 service) QoS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT	OR	ON	2009/02/22 23:05
S48	8	schedul\$3 with uplink same credit near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 23:16
S50	11	schedul\$3 with uplink and credit near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/02/22 23:17

^{2/23/2009 4:01:22} PM

C:\Documents and Settings\mvu1\My Documents\EAST\Workspaces\10567698_Measure_Throughput_Ratio.wsp